

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2013

INFORMATION		Value	Unit
1. Supplier name or trademark		Hannspree	
2. Model identifier		HG392PCB(HSG1449)	
3. Energy Efficiency Class for standard Dynamic Range (SDR)		G	
4. On mode power demand for Standard Dynamic Range (SDR)		53.7	W
5. Energy Efficiency Class for standard Dynamic Range (HDR)		G	
6. On mode power demand in High Dynamic Range (HDR) mode		54.3	W
7. Off mode, power demand		0.2	W
8. Standby mode power demand		0.4	W
9. Networked standby mode power demand			W
10. Electronic display category		Monitor	
11. Size ratio		16 : 9	
12. Screen resolution (pixels)		2560 x 1440	pixels
13. Screen diagonal		97.8	cm
14. Screen diagonal		39	inches
15. Visible screen area		4087.8	cm <sup>2</sup>
16. Panel technology used		LED LCD	
17. Automatic Brightness Control (ABC) available		No	
18. Voice recognition sensor available		No	
19. Room presence sensor available		No	
20. Image refresh frequency rate		165	Hz
21. Minimum guaranteed availability of software and firmware updates (until):		01 05 2029	
22. Minimum guaranteed availability of spare parts (until)		01 05 2028	
23. Minimum guaranteed product support (until)		01 05 2024	
24. Power supply type:		Internal	
i External standardised power supply (included in the product box)	Standard name		
	Input voltage		V
	Output voltage		V
ii External standardised suitable power supply (if not included in the product box)	Standard name		
	Required output voltage		V
	Required delivered current		A
	Required current frequency		Hz

### HG 392 PCB

97,8cm / 38.5" Diagonale  
LED Backlight – Format 16:9

- 38.5" 16:9 LED Backlight Monitor
- 2560 x 1440 WQHD Auflösung
- 178° Ultraweiter Betrachtungswinkel
- Curved Panel 3000R
- 1 msec Reaktionszeit (MPRT)
- 165Hz Refresh Rate
- HDMI x 2 + Display Port x 2
- 350 cd/m<sup>2</sup> (Typ), HDR: 400 cd/m<sup>2</sup>
- Picture in Picture
- Picture by Picture
- Eingebaute Stereolautsprecher
- Neigbar und Wandmontage VESA
- Multifunktionaler höhenverstellbarer Monitorständer
- Low Blue Light Modus /
- Flimmerfrei
- Remote Control
- RGB Rainbow light on back cover
- Gaming Mouse Pad (700 x 300 x 3 mm)



97,8 cm / 38.5"

Part. No.: HG 392 PCB

**38.5"**  
16:9

38.5"  
16:9



HDMI x 2  
DP x 2

**165 Hz**

165Hz  
Refresh  
Rate

**5MS**  
With OD  
**1MS**  
MPRT

1msec  
Reaktionszeit  
(MPRT)



Höhen-  
verstell-  
bar



PIP

**2560 x 1440**  
**2K**

WQHD  
2560 x 1440



Curved  
Panel 3000R



Speakers



178° weiter  
Betrachtungswinkel





Neigbar



PBP

Bildschirmgröße	97,8 cm / 38.5" Diagonale. Curved Panel 3000R
Panel Typ	TFT – LED Backlight, VA Panel (*)
Seitenverhältnis	16:9
Auflösung (H x V)	2560 x 1440 WQHD
Helligkeit (Nativ)	350cd/m <sup>2</sup> (Nativ) – HDR: 400 cd/m <sup>2</sup> (Peak)
Kontrast (Nativ)	3.000:1 (Nativ)
Kontrast (Aktiv)	10.000.000:1 (Aktiv)
Betrachtungswinkel L/R; O/U	178° H – 178° V (CR >10)
Reaktionszeit	1ms (MPRT) / 5ms (mit OD)
Pixelabstand	0,3333(H) x 0,3333(V) mm
Bildschirmoberfläche	Blendfrei, Haze-level 2%; Härte 3H
Bildschirmfarben	16.7M Farben (8bits+FRC)
Horizontale Frequenz	30 ~ 245 kHz
Vertikale Frequenz	56 ~ 165 Hz (DP 1.4); 56 ~ 100 Hz (HDMI 2.0)
Max. Monitor Frequenz	2560 x 1440 @ 165Hz
Eingang 1	HDMI 2.0 x 2
Eingang 2	Display Port 1.4 x 2
Eingang 3	-
Eingebaute Lautsprecher	Ja, 2W x 2, Audio Out Kopfhöreranschluss
Energieverbrauch	An: 53,7 W; Stand-by: 0,4W; Aus: 0,2W
Stromquelle	AC 100 ~ 240 Volt; 50 ~ 65 Hz
Produktmaße	879,24 x 575,09~645,09 x 284,77 mm mit Standfuß (B x H x T) 879,24 x 514,07 x 83,56 mm ohne Standfuß (B x H x T)
Verpackungsmaße	1013 x 648 x 257 mm (B x H x T)
Netto / Brutto Gewicht	11,81 Kg / 15,86 Kg



VESA Aufnahme	75 x 75 mm
Monitorstandfuß	Höhenverstellbarer Fuß (70 mm ± 5 mm)
Neigbar/ Kensington Lock	-5°~15° (±1°) / Ja
Pivot / Schwenkbar	- / Links: 15° - Rechts: 15°
Bedienelemente	Rocker (Power / Vorne / Hinten / Links / Rechts)
Farbeeinstellungen	Warm / Normal / Cool / User
Voreinstellungen	PC, ECO, Movie, Game Modes
Bildschirmanzeige	7 OSD Sprachen
Weitere Eigenschaften	Flicker Free (Except MPRT), Low Blue Light Mode Picture in Picture / Picture by Picture; HDR400; RGB Rainbow light on back cover; Remote Control; GamePlus
Zubehör/Lieferumfang	Stromkabel (1.5m); DP 1.4 Kabel (1.5m); Garantiekarte; Schnellstartanleitung; Schraubendreher; Gaming Mouse Pad (700 x 300 x 3 mm)

Herstellername	HANNspree
Modellname	HG392PCB
Energieeffizienzklasse für Standard Dynamic Range (SDR)	G
Energieeffizienzklasse für Standard Dynamic Range (SDR) (kWh/1000h)	54 kWh/1000h
Leistungsaufnahme im Betrieb	53,7 W
Leistungsaufnahme in ausgeschaltetem Zustand	0,2 W
Leistungsaufnahme im Standbybetrieb	0,4 W
Displaygröße (cm / Zoll)	97,8cm / 38.5"
Bildschirmauflösung	2560 x 1440

PART. NO.:  
HG 392 PCB

