


Art. Nr. 2837801

1/7




05.10.2017


Groundplan - Grundplan - Plan de masse - Planimetria - Plattegrond - Põhiplaan








Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud  
alusraam





















Floor boards - Fussbodenbretter - Plan pose plancher - Pavimento - Vloerhout -  
Põrandalaudis











| Pos   | 05.10.2017 Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitalabel<br>Art.Nr. 2837801 6/7                                                                                                                                            | Q  | P<br>(mm) | L<br>(mm) |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----------|-----------|
| 001   |                                                                                                                                                                             | 1  | 28x57     | 488       |
| 002   |                                                                                                                                                                             | 1  | 28x57     | 612       |
| 003   |                                                                                                                                                                             | 1  | 28x57     | 612       |
| 004   |                                                                                                                                                                             | 16 | 28x114    | 488       |
| 005   |                                                                                                                                                                             | 16 | 28x114    | 612       |
| 006   |                                                                                                                                                                             | 16 | 28x114    | 612       |
| 007   |                                                                                                                                                                             | 18 | 28x114    | 4000      |
| 008   |                                                                                                                                                                             | 2  | 28x114    | 4200      |
| 009   |                                                                                                                                                                             | 1  | 28x57     | 4000      |
| 010   |                                                                                                                                                                             | 51 | 28x114    | 2700      |
| WA-1  |                                                                                                                                                                          | 1  |           |           |
| WB-1  |                                                                                                                                                                          | 1  |           |           |
| WC-1  |                                                                                                                                                                          | 1  |           |           |
| IAR1  | Foundation - Fundament - Fondation - Fondamenta - Fundering - Immutatud alusraam<br>                                                                                      | 5  | 45x45     | 3790      |
|       | Roof beam - Dachbalken - Panne de toit - Perlina del tetto - Gordingen / dakbalk - Pärilin<br>                                                                            | 2  | 44x140    | 4200      |
|       | Floor boards - Fussbodenbretter - Lamé de plancher - Pavimento - Vloerhout - Põrandalaud<br>                                                                            | 42 | 90x15     | 2440      |
| A-PR1 | Roof boards - Dachbretter - Voliges - Perlina per tetto - Dakhout - Katuselaud<br>                                                                                      | 47 | 90x15     | 2900      |
|       | Floor fillet - Fussbodenleiste - Corniere de finition du plancher - Finitura per pavimento (battisco pa) - Vloerafwerkljst - Põrandaliist<br>                           |    | 18x18     | 17.18     |
| DPL1  | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiilist<br> | 2  | 15x45     | 2115      |
| DPL2  | Roofing felt fillet - Dachpappenleiste - Baguette de fixation du feutre bitumeux - Asse per fissaggio guaina bituminosa - Afdeklijst asfaltpapier - Katusepapiilist<br> | 2  | 15x45     | 2920      |
| DPP-1 | Roofing felt (strip) - Dachpappe (bahnen) - Feutre bitumeux (bande) - Cartone catramato - Asfaltpapier (baan) - Katusepapp<br>                                          | 4  |           | 4300      |
| DRV-2 | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus<br>                       | 2  | 15x45     | 2100      |
| DRV-1 | Roof edge reinforcement - Dachrandverstärkung - Corniere de renfort de bord de toit - Rinforzo x tetto - Dakrand versterking - Räästatugevdus<br>                       | 2  | 28x34     | 2100      |


| Pos   | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükítabel<br>05.10.2017 Art.Nr. 2837801 7/7                                                                                                                                                                                             | Q   | P<br>(mm) | L<br>(mm) |
|-------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|-----------|
| KFS-1 | Storm protection - Sturmleiste - Latte anti-tempete - Protezione anti vento - Stormverankering / beveiliging - Tormikinnitusliist                                                                                         | 2   | 22x45     | 2050      |
| KFS-2 | Storm protection - Sturmleiste - Latte anti-tempete - Protezione anti vento - Stormverankering / beveiliging - Tormikinnitusliist                                                                                         | 2   | 22x45     | 2500      |
| GM-2  | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Viilulaud                                                                                                       | 2   | 15x120    | 2100      |
| GM-1  | Gable moulding - Giebelleiste - Planche de rive - Finitura per frontale e retro del tetto - Gevellijst - Viilulaud                                                                                                       | 2   | 15x120    | 2965      |
| HS9   | Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finiture davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale                           | 16  | 3.5x50    |           |
| HS4   | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele    | 10  | 3x30      |           |
| HS12  | Screw for roof edge reinforcement - Schrauben für dachrandverstärkung - Vis pour fixation corniere renfort de bord de toit - Viti x rinforzo bordo tetto - Schroef voor dakrand versterking - Kruvi räästatugevdusele    | 10  | 4x40      |           |
| HS12  | Screw for gable moulding - Schrauben für giebelleiste - Vis pour fixation planche de rive - Vite per fissare finiture davanti e dietro del tetto - Schroef voor gevellijst - Kruvi viilulauale                           | 10  | 4x40      |           |
| HS18  | Screw for roof beams - Schrauben für dachbalken - Vis pour fixation pannes de toit - Viti per perline del tetto - Schroef voor gordingen / dakbalken - Kruvi pärlinitele                                                 | 6   | 5x120     |           |
| HS18  | Screw for gable - Schrauben für giebel - Vis pour fixation des pignons - Viti per timpano - Schroef voor gevelpunt - Kruvi viilude kinnitamiseks                                                                         | 6   | 5x120     |           |
| HS16  | Screw for 1. wall beam - Schraube für 1. bohlenreihe - Vis de fixations 1ere rangée de madriers avec poutrelles de fondations - Vite fissaggio alle fondamenta - Schroef voor 1 wandbalk - Kruvi poollauale            | 6   | 5x90      |           |
| NF2   | Zn nail for floor fillet - Zn nagel für fussbodenleiste - Pointe pour corniere de finition du plancher - Chiodi x fissaggio pavimento - Spijker(nagel) voor vloer afdeklijst - Nael põrandaliistule                    | 34  | 1.4x40    |           |
| SH28  | Hammer block - Schlagholz - Calle de frappe - Blocco di legno da usare come cuscinetto quando si usa il martello - Slagklos - Löögiklots                                                                               | 1   |           |           |
| SFS   | Nut for storm protection - Schraubenmutter für sturmleiste - Ecrou pour latte anti-tempete - Dado x asta protezione vento - Moer voor stormverankering - Mutter tormikinnitusliistule                                  | 8   | D6        |           |
| NF4   | Zn nail for roof - Zn nagel für dachbretter - Pointe pour fixation voliges de toit - Chiodi x perline tetto - Spijker(nagel) voor dakhout - Nael katuselauale                                                          | 201 | 2x50      |           |
| NF4   | Zn nail for floor - Zn nagel für fussbodenbretter - Clous pour plancher - Chiodi x perline pavimento - Spijker(nagel) voor vloer - Nael põrandalauale                                                                  | 220 | 2x50      |           |
| NF5   | Zn nail for roofing felt fillet - Zn nagel für dachpappenleiste - Pointe pour baguette de fixation feutre bitumeux - Chiodi x carta bituminosa x tetto - Spijker(nagel) voor asfaltpapier afdeklijst - Papiliistunael  | 24  | 2x40      |           |
| NF6   | Roofing nails for roofing felt - Nägel für dachpappe - Pointe pour fixation feutre bitumeux - Chiodi per cartone catramato - Asfalt(nagel) - Papinael                                                                  | 145 | 2.8x15    |           |
| BFS   | Bolt for storm protection - Bolzen für sturmleiste - Boulon pour latte anti-tempete - Bullone x asta protezione vento - Bout voor stormankerlat - Puidupolt tormikinnitusliistule                                      | 8   | 6x60      |           |
| DFS   | Washer for storm protection - Dichtscheibe für sturmleiste - Rondelle pour latte anti-tempete - Rondella x asta protezione vento - Afdichtring voor storm strip - Seib tormikinnitusliistule                           | 8   | D6        |           |
|       | Door - Tür - Porte - Porte - Deur - Uks 775x1850 UL.2.050.IVV.MMX28 TA+28                                                                                                                                                                                                                                   | 1   |           |           |
|       | Door - Tür - Porte - Porte - Deur - Uks 1494x1850 TUK.1.108.XVP.MMX28c XGA+28                                                                                                                                                                                                                               | 1   |           |           |
|       |                                                                                                                                                                                                                                                                                                             |     |           |           |

| Pos | 19.07.2017 | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel<br>775x1850 UL.2.050.IVV.MMX28 TA+28                                                                        | 1/2                                                                                   | Q | P<br>(mm) | L<br>(mm) |
|-----|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|-----------|-----------|
|     |            |   <p>702x1793 mm</p> |                                                                                       |   |           |           |
| 1   |            | Upper door jamb - Türrahmen oben - Cadre de porte supérieur -<br>Telaio superiore della porta - Bovendorpel - Ukse ülemine leng                                                           |  | 1 | 66x100    | 722       |
| 2   |            | Left door jamb - Türrahmen links - Cadre de porte gauche -<br>Telaio montante sinistro della porta - Linkerstijl deurframe - Ukse vasak leng                                              |  | 1 | 66x80     | 1850      |
| 3   |            | Right door jamb - Türrahmen rechts - Cadre de porte droit -<br>Telaio montante destro della porta - Rechterstijl deurframe - Ukse parem leng                                              |  | 1 | 66x80     | 1850      |
| 4   |            | Doorstep - Swelle - Barre de seuil -<br>Soglia della porta - Deurdorpel - Lävepakk                                                                                                        |  | 1 | 20x21     | 702       |

[illegible]









01

4x25 mm




04

4x25 mm




02





05

4.5x60 mm








03




06


3.5x50 mm





| Pos | Piece list - Stückliste - Liste des pièces - Elementi - Stuklijst - Tükitabel<br>15.01.2018 1494x1850 TUK.1.108.XVP.MMX28c XGA+28                                                                                                                                                                           | 1/2                                                                                   | Q | P<br>(mm) | L<br>(mm) |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---|-----------|-----------|
|     | <p>Glass size - Glasgröße - Taille de la vitre - Misura del vetro - Glas afmeting - Klaasi mõõt: 502x1496 mm</p>   <p>1418x1794 mm</p> |                                                                                       |   |           |           |
| 1   | Upper door jamb - Türrahmen oben - Cadre de porte supérieur - Telaio superiore della porta - Bovendorpel - Ukse ülemine leng                                                                                                                                                                                |  | 1 | 66x100    | 1438      |
| 2   | Left door jamb - Türrahmen links - Cadre de porte gauche - Telaio montante sinistro della porta - Linkerstijl deurframe - Ukse vasak leng                                                                                                                                                                   |  | 1 | 66x80     | 1850      |
| 3   | Right door jamb - Türrahmen rechts - Cadre de porte droit - Telaio montante destro della porta - Rechterstijl deurframe - Ukse parem leng                                                                                                                                                                   |  | 1 | 66x80     | 1850      |
| 4   | Doorstep - Swelle - Barre de seuil - Soglia della porta - Deurdorpel - Lävepakk                                                                                                                                                                                                                             |  | 1 | 20x21     | 1418      |
| 5   | Connection strip - Deckleiste - Baguette de battement - Profilo verticale della porta - Stulplijst - Kokkuvalttsiliist                                                                                                                                                                                      |  | 1 | 13x32     | 1812      |
| 6   | Georgian bars - Sprossen - Croisillons - La griglia georgiana - Raamverdeling - Petteliistud                                                                                                                                                                                                                |   | 2 | 15x25     | 1527      |
| 7   | Georgian bars - Sprossen - Croisillons - La griglia georgiana - Raamverdeling - Petteliistud                                                                                                                                                                                                                |  | 6 | 15x25     | 536       |


[illegible]








01




04


4x25 mm




02



05



03



06

3.5x50 mm

