


SAFETY DATA SHEET

SECTION 1. IDENTIFICATION OF THE MIXTURE AND COMPANY

- 1.1** Fudge Professional Skyscraper Hairspray
- 1.1.1 Product Reference**
HDR368735
- 1.2** The mixture is used as a Personal Care Product.
- 1.3 Manufacturer/Distributor:**
Swallowfield plc
Station Road
Wellington
Somerset
TA21 8NL
UK
- 1.4 Emergency Telephone:**
+44 (0) 1823 652 333 (24 hours)
email:
sales@swallowfield.com

SECTION 2: HAZARD IDENTIFICATION

- 2.1 Classification of the mixture**
- Classification (Regulation (EC) No 1272/2008)**
- Flammable Aerosol Category 1
- 2.2 Label elements**
- Labelling (Regulation (EC) No 1272/2008)**
- Pictogram**
- 
- Signal Word**
Danger
- Hazard statement**
H222 Extremely flammable aerosol
H229 Pressurised container: May burst if heated

Precautionary Statements

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.

P211 Do not spray on open flame or other ignition source

P251 Do not pierce or burn, even after use.

P410 + 412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

2.3 Supplemental Hazard Statements

EUH208 Contains: Acetyl Triethyl Citrate. May produce an allergic reaction

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Ingredient Name	CAS Number	% (w/w)	Classification to 1272/2008 & Hazard phrases
Alcohol Denat.	64-17-5	> 50.0% - ≤ 75.0%	Flammable liquid Category 2, H225
Butane	106-97-8	> 10.0% - ≤ 25.0%	Flammable Gases Category 1, H220
Isobutane	75-28-5	>5.0%-≤10.0%	Flammable Gases Category 1, H220
Propane	74-98-6	>5.0%-≤10.0%	Flammable Gases Category 1, H220
Aminomethyl Propanol	124-68-5	>0.1%-≤1.0%	Skin irritation Category 2, H315 Eye irritation Category 2, H319 Aquatic Chronic Category 3, H412
Parfum (Fragrance)	-	>0.1%-≤1.0%	Skin Sensitiser Category 1, H317 Eye irritation Category 2, H319 Aquatic Chronic Category 3, H412
Acetyl Triethyl Citrate	77-89-4	>0.1%-≤1.0%	Skin Sensitiser Category 1, H317
Glycerin	56-81-5	≤ 0.1%	-

For the full text of the H- & P-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 First Aid Instructions

General: If symptoms persist, call a Doctor.

Eyes: If this product comes in contact with eyes: Wash out immediately with water. If irritation continues seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin: If skin or hair contact occurs: Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.

Ingestion: Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Inhalation: If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.

4.2 Symptoms and effects, both acute and delayed

Inhaled: The material may produce adverse health effects or irritation of the respiratory tract. Good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Ingestion: Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, ingestion of insignificant quantities is not thought to be cause for concern.

Skin Contact: The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

Eye: Although the product is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).

Chronic: Long-term exposure to the product is not thought to produce chronic effects adverse to health (as classified by EC Directives); nevertheless, exposure by all routes should be minimised as a matter of course.

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing Media

Suitable: Water spray jet, powder, foam, carbon dioxide.

Unsuitable: No full water jet.

5.2 Special Hazards

Vapours/aerosols can form an explosive mixture with air. Heat causes increase in pressure and risk of bursting.
If heated to decomposition may release CO_x and complex hydrocarbons.
Be aware of possible violent rupture of containers involved in fire.

5.3 Advice to firefighters

Cool endangered containers or product with water spray jet.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions:

Wear appropriate protective clothing.

Wear respiratory protection.
Eliminate all sources of ignition.

6.2 Environmental Precautions

Spill into Atmosphere: Knock down product vapours and mists with water spray jet.

Environmental Precautions: Prevent the material from entering drains or water courses.
Advise authorities if spillage has entered water course or sewer.

6.3 Methods and materials for containment and cleaning up

Spill response: Contain and absorb using earth, sand or other inert material. Transfer into suitable containers for recovery or disposal.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with eyes.

7.2 Conditions for safe storage

Storage area should be dry, well ventilated and cool.

Store away from sources of heat / ignition.

Product must be stored below 50°C.

Storage and transfer equipment should be adequately earthed and bonded to prevent the accumulation of static charges.

7.3 Specific end use

Product is designed as a Personal Care Product for home use and is safe when used in accordance with manufacturer's instructions.

SECTION 8: CONTROL PARAMETERS

8.1 Control Parameters

UK EH40 WEL

Component	Cas No.	Workplace Exposure Limits			
		Long-term exposure limit (8-hr TWA reference period)		Short-term exposure limit (15-minute reference period)	
		ppm	mg.g ⁻³	ppm	mg.m ⁻³
Ethanol	64-17-5	1,000	1,920	-	-
Butane	106-97-8	600	1450	750	1810
Glycerin, mist	56-81-5	-	10	-	-

8.2 Exposure Controls

8.2.1 Appropriate engineering controls

Ventilation: Keep area well ventilated.

8.2.2 Personal Protection:

Eye Protection:

Keep eyes protected from direct exposure.

Skin Protection:

Minimal risk of harm through skin contact.

Respiratory Protection:

Respiratory protection if there is a risk of exposure to high vapour concentrations.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(a) Appearance:	Aerosol
(b) Colour:	Characteristic
(c) Odour:	As standard
(d) Odour threshold	Not determined
(e) pH	Not Applicable
(f) Melting Point	Not determined
(g) Initial Boiling Point and boiling range	Not determined
(h) Flash Point	Not determined
(i) Evaporation rate	Not Applicable
(j) Flammability	Extremely Flammable
(k) Upper/lower flammability or explosive limits	Not determined
(l) Vapour pressure	Not determined
(m) Vapour density	Not determined
(n) Specific gravity @25°C	Not determined
(o) Solubility	Not determined
(p) Partition coefficient n-octanol/water	Not Applicable
(q) Auto-ignition Temperature	Not Applicable
(r) Decomposition temperature	Not determined
(s) Viscosity	Not determined
(t) Solids content	Not determined
(u) Water	Not determined

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Mixture is not reactive

10.2 Chemical stability

Mixture is stable under normal conditions

10.3 Possibility of hazardous reactions

Mixture is unlikely to undergo any hazardous reactions

10.4 Conditions to avoid

If ventilation is not sufficient, may form flammable/explosive vapour-air-mixture.
Heat causes increase in pressure and risk of bursting.

Pressurised container: protect from sunlight and do not expose to temperatures above 50°C.
Do not pierce or burn, even after use.

10.5 Incompatible materials

Strong acids or alkalis

Oxidising agents

10.6 Hazardous decomposition products

Oxides of carbon

Complex hydrocarbons

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects**Acute Toxicity**

Not determined

Skin corrosion/irritation

Not determined

Serious eye damage/eye irritation

Not determined

Respiratory or skin sensitisation

Not determined

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeat exposure

No data available

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity**Toxicity to fish**

Mortality LC50 - Salmo gairdneri - not determined

Method OECD Test Guideline 203

Toxicity to Daphnia and other aquatic invertebrates

Immobilisation EC50 - Daphnia magna (Water flea) - not determined

12.2 Persistence and degradability**Biodegradability**

Biotic/Aerobic - not determined. Ingredients are biodegradable.

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil
No data available

12.5 Results of PBT and vPvB assessment
No data available

12.6 Other adverse effects
Biochemical Oxygen Demand (BOD) Not determined
Chemical Oxygen Demand (COD) Not determined

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods
Product
Offer surplus and non-recyclable solutions to a licensed disposal company.
Dispose of in accordance with local regulations.
Waste code of container with content: 160505

Contaminated packaging
Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

14.0 UN No: 1950
Aerosols flammable

14.1 Land Transport (ADR/GGVS, RID/GGVE)

Class: 2 Classification Code: 5F Letter: 2.1
Special Rules: 190, 327, 344, 625

14.2 Marine Transport (IMDG)

Class: 2 PG: 3003; EMS-No.: 2-13; MFAG: 4.2; marine pollutant: no;
Proper shipping name: Aerosols, flammable n.o.s.

14.3 Air Transport (ICAO/IATA)
Class: 2.1 Aerosols, flammable n.o.s.

SECTION 15: REGULATORY INFORMATION

This safety datasheet complies with the requirements of Regulation (EC) No. 1272/2008

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
Aerosol Dispenser Directive - 2008/47/EC

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: OTHER INFORMATION

Pictogram

Flame

Signal Word

Danger

Hazard statements

H220 Extremely flammable gas

H222 Extremely flammable aerosol

H225 Highly flammable liquid and vapour.

H229 Pressurised container: May burst if heated

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H412 Harmful to aquatic life with long-lasting effects

Precautionary Statements

P102 Keep out of reach of children

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources - No smoking.

P211 Do not spray on open flame or other ignition source

P251 Do not pierce or burn, even after use.

P410 + 412 Protect from sunlight. Do not expose to temperatures exceeding 50°C.

Supplemental Hazard Statements

EUH208 Contains: Acetyl Triethyl Citrate. May produce an allergic reaction

Reference No: HDR368735

Signed: 

Mark Richard Bowes-Cavanagh BSc (Hons) App. Chem CSci CChem MRSC

Date: _____ 17 May 2019 _____

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist