TP-Link | tapo

Tapo Smart IoT Hub with Chime

Tapo H100

3 in 1
Hub · Doorbell · Alarm

Smart Alarm

Smart Doorbell

19 Ringtone Options

Up to 64 Devices

Tapo Smart Ecosystem

Tapo is the easy way to turn your home into a smart home. At the center of it all is the Tapo Hub.
With superior ultra-low-power performance, Tapo Hub connects wirelessly with a wide range of Tapo accessories.
So you can easily control and monitor your home from anywhere.

⫽ 3 in 1 Device for All Your Needs†

Tapo H100

Smart IoT Hub

Use a long-distance, low-power wireless protocol to connect to battery-powered Tapo devices.

Smart Alarm

Protect your home security by coordinating with Tapo smart sensors (motion sensor, window/door sensor, and more).

Smart Doorbell

Easily build your smart doorbell system, by installing the Tapo smart button on the door.

†To build a smart alarm or smart doorbell, the Tapo Hub will need to work with certain smart devices.

// Features

- **Ultra-Long Distance Connection** – With the low frequency wireless protocol, Tapo hub sends and receives data steadily throughout your home.

- **Ultra-Low-Power Performance** – Connect wirelessly with a wide range of Tapo accessories and never let your guard down.

- **Real-Time Notifications** – Monitor your entire home and all connected devices to get instant alerts when the activity is detected. The built-in alarm gives you more than enough protection.

- **19 Ringtone Options** – 90 DB[‡] built-in multiple ringtones for your customized scenarios.

- **Up to 64 Devices[#]** – Connect multiple devices to create a smart ecosystem for your home.

- **Device Sharing** – Easily share management permissions with each member of your family.

- **Easy Setup and Use** – No wiring required. Set up quickly and manage easily through the free Tapo app.

- **Flame-Retardant**[△] - PC flame-retardant materials help minimize burning hazards.

[‡]Decibel values may vary by ringtones and environmental factors.
[#]The max conenctions may vary by the types of smart devices connected.
[△]Made with V-0 (UL94) flame-retardant materials.

Specifications

General

· Wireless: 2.4 GHz Wi-Fi, 868 MHz for connected devices[§]

· Rating: AC, 100-240 V, 50/60 Hz

· Power Consumption: 0.5 W

· Standby Power Consumption: 0.1 W

· Material: V-0 (UL-94) Flame retardant PC[△]

· LED&Button: Status LED, SYNC/Silence Button

· Built-in: 90 DB[‡] alarm, 19 ringtones

Others

· Package Contents:

Smart Hub Tapo H100

Quick Start Guide

· Certifications: CE, RoHS

· Operating Temperature: 0 °C– 40 °C (32°F–104°F)

· Operating Humidity: 10%–90%RH, Non-condensing

· Dimensions: 72×70.3×51 mm (2.8×2.7×2 inch)

Speaker

SYNC/Silence Button

Socket

Status LED

[§]The specific working frequencies are 863 MHz to 865 MHz, and 868 MHz to 868.6 MHz.
[△]Made with V-0 (UL94) flame-retardant materials.
[‡]Decibel values may vary by ringtones and environmental factors.
Please do not use in damp environments or outdoors. For more information, please visit https://www.tapo.com/
Specifications are subject to change without notice. All brands and product names are trademarks or registered trademarks of their respective holders.
©2022 TP-Link